

DURIS, F.

Preparing machinery for planting corn in checkrows. p. 153.

Vol. 6, no. 8, Apr. 1956

SBORNIK. RAD A MECHANISACE A ELETRIFIKACE ZEMEDELSTVI A LESNICTVI

Czechoslovakia

Source: EAST EUROPEAN LISTS Vol. 5, no. 11 Nov. 1956

DURIS, I.; MELICHER, A.; NOVAK, E.

Comparison of Lambling's and Katsch's methods in determining gastric chemistry and their significance in the diagnosis of stomach diseases. Cesk. gastroent. vyz. 15 no.2:124-127 Mr '61.

1. Gastroenterologicke oddelenie Cs. st. kupelov, Bardejovske kupele, riaditel MUDr. Emanuel Novak.

(GASTRIC JUICE) (STOMACH dis)

DURIS, I.; MARCINCIN, F.; DURISOVA, E.; NIZNIK, V.; RADAC, F.

Use of the diphenylamine reaction in the diagnosis and examination of stomach cancer. Cesk. gastroent. vyz. 17 no.6: 354-357 S '63.

1. Cs. statne kupele Bardekovske Kupele, riaditel MUDr. F. Radac.

(STOMACH NEOPLASMS) (BIPHENYL COMPOUNDS)
(NEOPLASM DIAGNOSIS)

PISUT, V.; HOLLY, D.; DURIS, I.

Pyloric stenosis and megacolon. Bratisl. lek. listy 45 no.3:
164-167 15 F '65.

1. I. interna klinika lekarske fakulty Univerzity Komenskeho
v Bratislave (veduci: prof. MUDr. M. Ondrejicka).

DURIS, Julius.

The budget and development of the national economy and culture in
Czechoslovakia. Fin. SSSR 16 no.546-54 My '55. (MIRA 8:6)

1. Ministr finansov Chekhoslovatskoy Respubliki.
(Czechoslovakia--Budget)

TOMOVCIK, Jan, doc., inz.; DURIS, M.; PISAR, E.; KOREJTKO, J.

Research on the agrophysical and mechanical properties of
winter wheat. Zemedel tech 9 no.2:65-86 Ap '63.

1. Vysoka skola polnohospodarska, Nitra, Katedra polnohospodarskej
mechanizacie.

BURISIC, M.

"Derivatives of Pyridic Aldehydes on Koch's Bacillus" p. 219
(ZBORNIK RADOVA, Vol. 25; no. 2, 1952, Beograd, Yugoslavia)

SO: Monthly List of East European Accessions, Library of Congress, Vol. 2,
No. 10, October, 1952, Unclassified

DPK 1512, M.

Examination of action of hydrazide of isonicotinic acid and
ammonalicylic acid upon the experimental tuberculosis in
mice, pig. M. Pappas, et al. (1954) (1954) (1954)

results on a group of guinea pigs which were already
already produced symptoms of tuberculosis. The compounds
which were used as indicated above and also in combination
with streptomycin gave no toxic effects. V. M. Pappas

①

DURISIC, Milutin; NESKOVIC, Predrag

Use of tuberculin for excitation in the treatment of tuberculosis with streptomycin and with isonicotinic acid hydrazide. Acta pharm.jugosl. 5 no.2:75-82 '55.

1. Microbioloski Institut, Medicinski Fakultet, Beograd.
(STREPTOMYCIN, effects,

on exper. tuberc., eff. of tuberculin)

(NICOTINIC ACID ISOMERS, effects)

isoniazid, on exper.tuberc., eff. of tuberculin)

(TUBERCULOSIS, experimental,

eff. of isoniazid & streptomycin, eff. of tuberculin
on reactivity)

(TUBERCULIN, effects,

on exper.tuberc. reaction to streptomycin & isoniazid)

... How to produce ... and the ...
... the more resistance ...
... the larger the

DURISIC, Milutin, Prof., dr.

Simultaneous administration of large doses of tuberculin and isoniazid in the treatment of experimental tuberculosis in guinea pigs. Higijena, Beogr. 7 no.1-4:205-208 1955.

1. Medicinski fakultet, Beograd.

(TUBERCULOSIS, exper.

ther., massive doses of tuberculin & isoniazid (Ser))

(ISONIAZID, ther. use

exper. tuberc., with massive doses of tuberculin (Ser))

(TUBERCULIN, ther. use

exper. tuberc., with massive doses of isoniazid (Ser))

DURISIC, M.

Bacteriology of respiratory diseases in this country. Higijena,
Beogr. 11 no.2-3:102-105 '59.

(RESPIRATORY TRACT INFECTIONS microbiol.)

DURISIC, M.; NESKOVIC, V.

Is "desensitizing anergy" an immune condition? Contribution to the study of acquired immunity in tuberculosis. Tuberkuloza, Beogr. 12 no.1:55-59 '60.

1. Mikrobioloski institut Medicinskog fakulteta, Beograd
(upravnik: prof. dr. M. Durisic).
(BCG VACCINATION)

DURISIC, M.

Current status of the laboratory diagnosis of brucellosis. Higijena,
Beogr. 12 no.2/3:154-164 '60.
(BRUCELLOSIS diag)

DURISIC, M.; DRNDARSKI, K.; NESKOVIC, I.V.

Effect of ACTH and hydrocortisone on experimental tuberculosis
in guinea pigs. Acta med. iugosl. 15 no.3:290-301 '61.

1. Mikrobioloski institut Medicinskog fakulteta u Beogradu.
(CORTICOTROPIN pharmacol) (HYDROCORTISONE pharmacol)
(TUBERCULOSIS exper)

DURISTO, M.; KATIC, R.

Effect of anti-tetanus serum on experimental tetanus intoxication.
Glas. Srpska akad. nauk [Med.] 17 no.257:187-191 '64.

DURISIC, M.

Schick's test in unvaccinated adult subjects. Contribution to the study on natural diphtherial immunity. Glas. Srpska akad. nauk [Med.] 17 no.257:193-196 '64.

DURISIC, S.

Elements for an enlarged diagnostic application of the arborization test. Acta med. iugosl. 14 no.2:154-173 '60.

1. Gynecological and Obstetrical Department, General Hospital, Pristina.

(DIAGNOSIS LABORATORY)

DURISIC, S.

The negative phase of the arborization phenomenon of biological fluids and its analytic importance. Acta med. iugosl. 16 no.2:166-171 '62.

1. Institut de recherches medicales de Novi Sad.
(CRYSTALLOGRAPHY)

^S
DURIĆIC, Stojan, d-r

A case of central rupture of the perineum in labor. Med.arh.,
Sarajevo 14 no.6:96-102 N-D '60.

1. Ginekolosko-akuserska klinika Medicinskog fakulteta u Sarajevu
(Sef: prof. d-r Milenko Beric)
(LABOR compl)
(PERINEUM wds & inj)

DURISKA, J.

Unusual methods of anesthesia in tonsillectomy. Bratisl. lek.
listy 35 no.6:361-367 1955.

1. Z Otorinolaryngologického oddelenia OUNZ v Ruzomberku,
predn. primar MUDr. J. Duriska.

(TONSILS, surgery,
anesth., unusual methods.)

(ANESTHESIA,
in tonsillectomy, unusual methods.)

DURISKA, Jan, MUDr.

Electromagnet in endoscopy. Cesk. otolar. 5 no.2:114-115
Apr 56.

1. Z ORL oddelenia OUNZ v Ruzomberku, prednosta primar
MUDr. J. Duriska.

(ENDOSCOPY, apparatus and instruments,
electromagnet for extraction of for. bodies (Gz))
(FOREIGN BODIES,
extraction, electromagnet in endoscopy. (Gz))

EXCERPTA MEDICA Sed.11 Vol.10/8 Oto-Rhino-Laryngo Aug57
ĐURISKA J.

1474. *ĐURISKA J.* Otolaryngol. Odd., OÚNZ, Ružomberku. *Elektromagnet na extrakciu tracheobronchiálnych cudzích telies. An electro-magnet for extraction of tracheobronchial foreign bodies BRATISLAVSKÉ LEKÁRS. LISTY 1956, 36(II)/4 (235-240) Tables 1 Illus. 2

A case is described in which a new type of small electro-magnet was used to extract a bent nail from the right main bronchus. The magnet was fixed, like the olive of a duodenal catheter, to the end of a rubber tube which was inserted into the bronchial tree under indirect laryngoscopic control. The further progress of the magnet was directed via the fluoroscopic screen. The foreign body was rapidly and safely extracted without the aid of an endoscopic tube.

EXCERPTA MEDICA SEC 11 Vol. 10/1 O. R. L. Jan 57

50. ĎURIŠKA J. Otolaryngol. Odd. OÚNZ v Ružomberku. *Intrakutánná krcná novokainová blokáda podľa Ratnera v chirurgii palatálnych tonzíl.
Ratner's intradermal cervical novocaine blocking in surgery of the palatine tonsils BRATISLAVSKÉ LEKÁRSK. LISTY 1956, 36/6 (472-479)

On the basis of experience of 146 bilateral tonsillectomies the author states that the anaesthetic effect of intradermal blocking is not equivalent to oral anaesthesia. It is possible to perform tonsillectomies under this anaesthesia. During operation there is a larger tissue bleeding and the preparation is more difficult than in infiltration anaesthesia. The postoperative wounds, however, are better; they heal faster than those following oral infiltration anaesthetics. According to the author the blocking is suitable for the treatment of sore throat, acute peritonsillitis, and further as anaesthesia in tonsillectomy 'à chaud', 'à tiède', and in incisions of peritonsillar abscesses.

DURISKA, Jan; SIMONIKOVA, Dagmar

Microbiological survey of cotton textiles factories. Prac. lek. 16
no.5:204-207 J1 '64.

1. Otorinolaryngologicke oddelenie nemocnice s poliklinikou v
Ruzomberku (veduci dr. J. Duriska) Okresni hygiencko-epidemi-
ologicke stanice v Ruzomberku (veduci dr. D. Simonikova).

DURIS, I.; MARCINCIN, F.; DURISOVA, E.; NIZNIK, V.; RADAC, F.

Use of the diphenylamine reaction in the diagnosis and examination of stomach cancer. Cesk. gastroent. vyz. 17 no.6: 354-357 S '63.

1. Cs. statne kupele Bardekovske Kupele, riaditel MUDr. F. Radac.

(STOMACH NEOPLASMS) (BIPHENYL COMPOUNDS)
(NEOPLASM DIAGNOSIS)

DURISOVA, ~~XXX~~ V.

GERYK, B. Dr.; DUMINOVA, ing.; CAJIA, prof.; KRES, prof.

Phosphorus hydride poisoning in a foundry. Pracevni lek. 9 no.1:8-10
Mar 59.

1. KRES Milinz, odd. hygieny prace Martin.

(PHOSPHORUS, pois.

gaseous phosphorus hydride in foundry workers (Cz))

(OCCUPATIONAL DISEASES, case reports

gaseous phosphorus hydride pois. in foundry workers (Cz))

EXCERPTA MEDICA Sec.2 Vol.10/7 Phy.Biochem. July 57

2841. DURISOVA V., CAJDA I. and KMET' M. KHES Zilina, Odd. Hyg. Práce Martin. Rychle stanovenie síranov v moci *Rapid determination of sulphate in urine* Pracovní Lékarství (Praha) 1956, 8/1 (42)

Five ml. urine with 2 ml. 12% HCl are diluted to 50 ml. In 3 cuvettes A, B and C are placed 2 ml. each of the dilution. To cuvettes A and B 16 ml. H₂O are added; to cuvette C 14 ml. H₂O + 2 ml. standard solution. To cuvettes B and C are added exactly 40 mg. powdered BaSO₄. Cuvette A is the blank. The extinction is measured with a green filter in a photoelectric colorimeter. The unknown is calculated from the standard.

Neubauer — Kosice

DURISOVA, V.; OIAH, Z.

Cataracta dermatogenes. Cesk. ofth. 16 no.6:397-400 S '60.

1. Ocna klinika UK v Bratislave, prednosta prof. dr. A. Gala.
(CATARACT compl.)
(SKIN dis.)

DURITSYN, F. A.

24247 DURITSYN, F. A. Topografiya i klotochnaya formula soyedinitel'noy tkani.
Trudy Akad. Med. Nauk SSSR, T. III, 1949, S. 197-200.

SO: Letopis, No. 32, 1949.

DURKA, M.

3670

662-12 401-002

Kuczyński W. Durka M., Klatkiewicz Z., Pawlak R. Concerning the
Activity of Semi Coke from Indigenous Brown Coals

Prace Komisji Politechniki Łódzkiej
Nr 10, 1954, pp. 100-109

The activity of semi coke is determined by the heat effect of its oxidation. It is compared from certain indigenous brown coals. The determination of the activity of semi coke was based on the measurement of the heat effect of its oxidation in a bomb calorimeter. The addition of hydrogen peroxide to the semi coke increases the activity of semi coke. The activity of semi coke is also increased by the addition of hydrogen peroxide to the semi coke. It is concluded that the activity of semi coke is increased by the addition of hydrogen peroxide to the semi coke. The activity of semi coke is also increased by the addition of hydrogen peroxide to the semi coke. The activity of semi coke is also increased by the addition of hydrogen peroxide to the semi coke.

ROGUSKA, Jadwiga, DURKALEC Jerzy, i GABRYEL, Przemyslaw

Aortic arch syndrome; case of Takayasu disease. Polski tygod. lek.
13 no.16:603-607 21 Apr 58

1. (Z II Kliniki Chorob Wewnętrznych A.M. w Poznaniu; kierownik:
prof. dr Jan Roguski i z Zakładu Anatomii Patologicznej A.M. w
Poznaniu; kierownik: prof. dr Janusz Goniowski) Adres: Poznan,
II Klinika Chor. Wewn. A.M.

(AORTA, dis.

aortic arch synd., Takayasu type, case reports (Pol))
(ARTERITIS, case reports,

aortic arch synd., Takayasu type (Pol))

JANKOWIAK, Jozef; BISEUPSKA, Grazyna; DURKALEC, Jerzy; GORNIOK, Alfred;
KUHN, Maria; RACHLEWICZ, Janusz; TYSPER, Zofia; WOJTCZAK, Andrzej

Effects of thermal balneological stimuli on the water metabolism of
the body. Polskie arch. med. wewn. 28 no.4:519-524 1958.

1. Z Instytutu Balneoklimatycznego w Poznaniu Dyrektor: doc. dr med.
J. Jankowiak, i z II Kliniki Chorob Wewnętrznych A.M. w Poznaniu
Kierownik: prof. dr med. J. Roguski. Adres autora; Poznan, Slowackiego
8/10 Instytut Balneoklimatyczny.

(BODY FLUIDS,

eff. of thermal baths on water-electrolyte metabolism
(Pol))

(HEAT, eff.

thermal baths on water-electrolyte metab. (Pol))

(BALNEOLOGY,

eff. of thermal baths on water-electrolyte metab. (Pol))

WYSOCKI, Kazimierz; DURKALEC, Jerzy

Two cases of generalized herpes zoster in chronic lymphatic leukemia. Polski tygod. lek. 14 no.35:1619-1620 31 Aug 59.

1. (Z II Kliniki Chorob Wewnętrznych A. M. w Poznaniu; kierownik: prof. dr J. Roguski)

(HERPES ZOSTER, compl.) (LEUKEMIA LYMPHATIC, compl.)

DURKALEC, Jerzy

Ballistocardiogram in atherosclerosis. Polskie arch.med.wewn. 30
no.7:909-912 '60.

1. Z II Kliniki Chorob Wewnętrznych A.M. w Poznaniu Kierownik:
prof. dr med. J. Roguski
(ARTERIOSCLEROSIS diag)
(BALLISTOCARDIOGRAPHY)

DURKALEC, Jerzy

Ballistocardiogram in acromegaly. Polski tygod.lek. 15 no.43/44:
1699-1702 24 0 '60.

1. Z II Kliniki Chorob Wewnętrznych A.M. w Poznaniu; kierownik:
prof. dr Jan Roguski.

(BALLISTOCARDIOGRAPHY)

(ACROMEGALY diag)

JANKOWIAK, Jozef
SURNAME, Given Names

DURKALEC, Jerzy

2

Country: Poland

Academic Degrees: Docent; Dr med.

Affiliation: Director of the Balneoclimatic Institute (Instytut Balneo-
klimatyczny), Poznan

Source: Warsaw, Przegląd Lekarski, No 6, 1961, pp 230-232.

Data: "Influence of Partial Graduated Baths on the Ballistocardiogram in
Essential Arterial Hypertension."

Co-author:

DURKALEC, Jerzy, Balneoclimatic Institute (Instytut Balneoklimatyczny)
Poznan; Director: Jozef JANKOWIAK, Docent, dr med.

GPO 981643

ROGUSKI, Jan; DURKALEC, Jerzy

Effect of mercurial diuretics on the transcutaneous water excretion
in chronic circulatory insufficiency. Poznan. tow. przyjaciel nauk
wyzd. lek. 21 no.2:27-32 '61.

(SWEATING pharmacol) (DIURETICS MERCURIAL pharmacol)

DURNALEC, Jerzy

Skin temperature in arteriosclerosis. Poznan.tow.przyjaciol nauk,
wydz.lek. 22 no.1/1-12:61-72 '61.
(ARTERIOSCLEROSIS physiol) (BODY TEMPERATURE)

DURKALEC, Jerzy

Ballistocardiogram in arteriosclerosis. Poznan. tow.przyjaciol
nauk, wydz.lek. 22 no.1/1-12:73-81 '61.
(ARTERIOSCLEROSIS diag) (BALLISTOCARDIOGRAPHY)

ROGUSKI, J.; ~~DURKALEC, J.~~; HASIK, J.; JAROSZEMSKI, F.; KRASNIK, W.; NOWACZYK, J.;
RACHLEWICZ, J.; ~~ROGUSKA, J.~~; RUSZKOWSKI, M.

Incidence of clinical criteria of atherosclerosis in hypo- and hyperthyroidism, polycythaemia vera and chronic cor pulmonale (para- and antiatherosclerotic syndromes). Cor Vasa 6 no.3: 219-230 '64.

1. Second Department of Internal Medicine, Medical Academy, Poznan, Poland.

DURKALEC, Jerzy

Graphic recording of Abailies reflex. Pol. tyg. lek. 19 no.41:
1558-1561 12 0 '64

1. Z II Kliniki Chorob Wewnętrznych Akademii Medycznej w Poznaniu
(Kierownik: prof. dr. Jan Rogalski).

DURKALEC, Jerzy

Graphic recording of muscular contractions (jump reflex) in thyroid hypofunction and hyperfunction. Pol. tyg. lek. 19 no.47:1793-1795 23 N'64.

1. Z II Kliniki Chorob Wewnętrznych Akademii Medycznej w Poznaniu(kierownik: prof. dr. Jan Roguski).

DURKALEC, M.

How the names and symbols of chemical elements originated. p. 83.
Vol. 8, no. 3, 1955 Katowice

CHEMIK

SOURCE: East European Accession List (EEAL) Library of Congress
vol. 5, no. 6, August 1956

DURKALEC, M.

Important achievements of the Paint and Lacquer Institute in
1962 introduced into the shipbuilding industry. Przem chem
42 no.10:591-592 0'63.

CATEGORY : GENERAL & SPEC. ZOOLOGY, INSECTS • Harmful Insects
and Mites.

ABS. JOUR : Ref Zhur-Biologiya, No. 2, 1959, No. 7053

AUTHOR : Durkic, Jelena

INSE. : Not given

TITLE : The Mite Tetranychus atlanticus, A Grain
Crop Pest in Vojvodina in 1956.

ORIG. PUB.: Zashchita bilja, 1956, 38, 67-70

ABSTRACT : The mite T. atlanticus which appeared in
1954 in the north-eastern part of Yugoslavia
causes the greatest harm to corn and rye. The
numbers of mites rose abruptly in 1956 in
connection with the dry summer. Chemical con-
trol was not applied for fear of exterminat-
ing predators of this mite. -- From the
author's summary

1/1

LUGININ, Aleksandr Afanas'yevich; LIPATOV, Nikolay Akimovich; DURKIN, N.I.,
red.; BRULIKOVSKAYA, R.G., tekhn.red.

[City of Gorkiy] Gorod Gor'kii. Gor'kovskoe knizhnoe izd-vo,
1958. 197 p. (MIRA 12:4)
(Gorkiy--Description)

IOFFE, Yevsey Filippovich; DURKIN, N.I., red.; BRULIKOVSKAYA, R.G.,
tekhn.red.

[Power engineering] Energetika. Gor'kii, Gor'kovskoe knizhnoe
izd-vo, 1959. 34 p. (MIRA 13:4)
(Power engineering)


KRELEZA, F.; DURKIN, V.

Photonephelometric determination of the interacting flocculation effect in the nascent sols of iron hydroxide and silicic acid. Glasnik hemisara 12:5-16 '63.

1. Laboratory of Analytic Chemistry, Chemical Institute, University of Sarajevo.

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R000411610014-3



APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R000411610014-3"

SEMENOVA, O.P.; DURKINA, A.Y.

Effect of the composition of a gas on the temperature excitation of spectrum lines. Fiz.sbor. no.4:334-338 '58.
(MIRA 12:5)

1. Sibirskiy fiziko-tekhnicheskoy institut pri Tomskom gosudarstvennom universitete imeni V.V.Kuybysheva.
(Spectrum analysis)

~~DURKINA, A. V.~~

Boundary of the Devonian and Carboniferous in the Timan-Pechora
area. Trudy VNIIGI no.14:200-215 '59. (MIRA 12:10)

1. Tsentral'naya nauchno-issledovatel'skaya laboratoriya Gosudarstvennogo
Soyuznogo Ukhtinskogo kombinata.
(Timan Ridge--Geology, Stratigraphic)

DURKINA, A.V.

Lower Carboniferous in the Pechora ridge and its oil potential.
Trudy VNIGRI no.133:155-166 '59. (MIRA 13:1)
(Pechora Valley--Petroleum geology)

DURKINA, A.V.

Foraminifera of lower Carboniferous sediments in the Timan-
Pechora Province. Trudy VNIIGRI no.136:132-389 '59.
(MIRA 13:4)

(Pechora Valley--Foraminifera, Fossil)

EYGES, Ye.G.; DURKINA, S.I.

Method for determining the weather resistance of textile fabrics.
Standartizatsiia 27 no.4:48-53. Ap '63. (MIRA 16:4)
(Textile fabrics--Testing)

DURKOVIC, Aleksandar, inz.

Design of industrial equipment by the manufacturer, and complete engineering. Tehnika Jug 17 no.7:Suppl.: Masinstvo 11 no.7:1316-1320 J1 '62.

1. Inženjer u Projektantskom zavodu Fabrike masina "Ivo Lola Ribar", Zeleznik.

SPASIC, Miodrag A.; DURKOVIC, Bratimir B.

Electrolytic hydrogenation in aqueous solutions as a method for the obtainment of highly pure germanium. Glas Hem dr 25/26 no.8/10:469-475 '60/'61.

1. Faculty of Technology, Laboratory for Nonferrous Metallurgy, Beograd.

SPASIC, Miodrag A.; DURKOVIC, Bratimir B.

Extraction of titanium from the red clay of the Montenegrin bauxite. Glas Hem dr 25/26 no.8/10:559-562 '60/'61.

1. Faculty of Technology, Laboratory for Nonferrous Metallurgy, Beograd.

SPASIC, Miodrag, ing., prof. (Beograd, Vojkovicva 20); DURKOVIC,
Bratimir, ing., asistent

Behavior of germanium during the pyrometallurgical treatment
of Bor Mine concentrates. Tehnika Jug 16 no.10:1782-1785 0 '61.

1. Tehnoloski fakultet Univerziteta u Beogradu.

S/137/62/000/005/029/150

A006/A101

AUTHORS: Spasić, M., Durković, B.

TITLE: Behavior of germanium in pyrometallurgical processing of concentrates at the Bor Plant (Yugoslavia)

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 5, 1962, 17, abstract 5G104 ("Technika", 1961, v. 16, no. 10, "Rud. i. metalurg." v. 12, no. 10, 230 - 233, Serbo-Croatian; German summary)

TEXT: The authors investigated the possibility of transferring a major portion of Ge into dust when roasting Cu-concentrates by maintaining simultaneously the desulfurization required. Ge transition into dust to 40 - 50% was successfully performed at the laboratory by roasting the concentrate mixed with 10 - 15% carbon dust without considerable air excess at 850 - 900°C; desulfurization could be regulated within the desirable limits up to 80%.

A. Tseydler

[Abstracter's note: Complete translation]

Card 1/1

DURKOVIC, Bratimir B.

Efficiency of electric current during the electrolytic hydrogenation of germanium. Glas Hem dr 27 no.5/6:255-261 '62.

1. Faculty of Technology, Institute for Nonferrous Metallurgy, Beograd.

S/081/62/000/010/054/085
B168/B180

AUTHORS: Đurković, Dragintsa N., Đurković, Bratimir B.

TITLE: Concentrating germanium contained in a powder agglomerate

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 10, 1962, 397, abstract
10K56 (Glasnik Khem. drushtva, v. 23-24, nos. 7-10,
1958-1959, 539-549)

TEXT: An agglomerate (chemical composition in % : Ge 0.05; Cu 6.80;
As 25.40; Fe 15.50; S 18.3; SO_4^{2-} 22.8; Al_2O_3 0.35; SiO_2 0.65;
CaO 0.42; H_2O 3.05; granulometric composition: fraction 10-50 mesh 47.8%,
fraction 60-100 mesh 51.5%, \leq 100 mesh 1.5%) was extracted by means of hot
and cold water and weak aqueous solutions of H_2SO_4 . Experiments were
conducted in the separation of the germanium by cementation with powdered
zinc, precipitation with sulfides and with tannin solutions. It is best
separated by tannin; ~25 g tannin per 1 g germanium is required in
the solution; the precipitating complex contains (in %) : Ge 2.43-5.0;

Card 1/2

Concentrating germanium...

S/081/62/000/010/054/085
B168/B180

Cu 0.15-1.20; Fe 0.07-1.60 and As 0.62-3.10, which is 94.6-99% of the total germanium formerly present in the solution. The Ge concentrates are produced by calcining the deposit at a temperature of 300-500°C for 3-5 hours (composition in % : Ge 20-40 (30-60 GeO_2); Cu 1-5; Fe 2-10; As <1; SiO_2 10-20). 9 references. [Abstracter's note: Complete translation.]

Card 2/2

SPASIC, Miodrag A.; DURKOVIC, Bratimir B.

Mechanism of the electrolytic formation of germanium hydrides.
Glas Hem dr 28 no.3/4:205-211 '63

1. Faculty of Technology, Institute of Nonferrous Metallurgy,
Belgrade.

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R000411610014-3

SECRET

SECRET

SECRET

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R000411610014-3"

of germanium dioxide from BOR mines. The purity of the starting

... .. in a screen of

S/081/62/000/010/054/085
B168/B180

AUTHORS: Đurković, Dragintsa N., Đurković, Bratimir B.

TITLE: Concentrating germanium contained in a powder agglomerate

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 10, 1962, 397, abstract
10K56 (Glasnik Khem. drushtva, v. 23-24, nos. 7-10,
1958-1959, 539-549)

TEXT: An agglomerate (chemical composition in % : Ge 0.05; Cu 6.80;
As 25.40; Fe 15.50; S 18.3; SO_4^{2-} 22.8; Al_2O_3 0.35; SiO_2 0.65;
CaO 0.42; H_2O 3.05; granulometric composition: fraction 10-50 mesh 47.8%,
fraction 60-100 mesh 51.5%, < 100 mesh 1.5%) was extracted by means of hot
and cold water and weak aqueous solutions of H_2SO_4 . Experiments were
conducted in the separation of the germanium by cementation with powdered
zinc, precipitation with sulfides and with tannin solutions. It is best
separated by tannin; ~25 g tannin per 1 g germanium is required in
the solution; the precipitating complex contains (in %) : Ge 2.43-5.0;

Card 1/2

S/081/62/000/010/054/085
B168/B180

Concentrating germanium...

Cu 0.15-1.20; Fe 0.07-1.60 and As 0.62-3.10, which is 94.6-99% of the total germanium formerly present in the solution. The Ge concentrates are produced by calcining the deposit at a temperature of 300-500°C for 3-5 hours (composition in % : Ge 20-40 (30-60 GeO_2); Cu 1-5; Fe 2-10; As <1; SiO_2 10-20). 9 references. [Abstracter's note: Complete translation.]

Card 2/2

Durkovic, F.

"Surgical device for fixing broken bones." p.108

TECHNICKA PRACA. (Rada vedeckych technickych spolocnosti pri Slovenskej akademii vied)
Bratislava, Czechoslovakia, Vol. 7, no. 3, 1955.

Monthly List of East European Accessions (EEAI) IC, Vol. 8, No. 9, Sept. 1959

Uncl.

DURKOVIC, F.

Shaking equipment for the Haldane apparatus, p. 280, TECHNICKA PRACA
(Statne nakladatelstvo technickej literatury) Bratislava, Vol. 7,
No. 6, June 1955

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 4, No. 12, December 1955

Durkovic, O.
CA 10

Mixtures of allyl and phenyl mustard oil with amines.
N. A. Pushkin, O. Durkovic, M. Smiljanic, and D. Stojkovic. *Glasnik Khim. Drustva Beograd* (Bull. soc. chim. Belgrade) 12, 15-31 (1947).--The system $C_{12}H_{17}NCS$ (I)- p - $MeC_6H_4NH_2$ (II) has a max. of d_4 (1.0680 at 85°), of η (0.2503 poise at 85°), and of n_D (1.6100 at 60°) at the equimol. compn. The 1:1 compn. melts congruently at 60° (max. on the melting diagram). A eutectic mixt. of the compn. and II m. 22° at 80 mole-% II. The system I- p - $MeC_6H_4NH_2$ (III) has, at the equimol. compn., a max. of d_4 (1.069 at 95°), η (0.1540 at 95°), and n_D (1.6073 at 60°). The equimol. compn. melts congruently at 87°. An equimol. compn. I- $PhC_6H_4NH_2$ (IV) (max. of n_D) melts congruently at 87°. A possible compn. II-IV melts incongruently at 81°. Curves of d_4 , η , and n_D of the system $PhNCS-C_6H_4NH_2$ are practically straight lines, indicating absence of compn. formation in the liquid state. N. Thon

ASAC-LLA ALL INFORMATIONAL LITERATURE CLASSIFICATION

DURKOVIC, O.

Contribution to the history of teaching physics and chemistry at the
Lyceum, 1839-1863. p. 585. GLASNIK. Beograd. Vol. 20, no. 9, 1955.

So. East European Accessions List Vol. 5, No. 9 September, 1956

DURKOVIC, Olga

Mihail Raskovic, first professor of chemistry and technology at Belgrade Lyceum and Belgrade University. Glas Hem dr 19 no.8:461-490 '54.

1. Tehnoloski fakultet, Zavod za organsku hemiju, Beograd.

BLAZEK, Josef, inz., C.Sc.; VORLICEK, Jindrich, inz.; KUTHAN, Josef,
inz.; DURKOVIC, Oto, inz.

Automation of liquid feeding of swine. Zemedel tech 8 no.6:395-
412 D '62.

1. Vysoka skola zemedelska, katedra elektrizace a vnitropod-
nikove mechanizace, Praha.

DURKOVIC, P. M.

DURKOVIC, P. M.

Yugoslavia (430)

Science

Determination of periodical errors of the zenith telescope micrometric screw of the Astronomical Observatory of Belgrade. p. 25, *Astronomska I Meteoroloska Saopstenja*, No. 7, Aug 1, 1951.

East European Accessions List. Library of Congress, Vol. 1, no. 14, Dec. 1952.

UNCLASSIFIED.

ĐURKOVIĆ, P. M.

"Basic outline of celestial bodies to be used with astronomical instruments." p. 57
(Nauka i Tehnika. Vol. 8 no. 2, Feb. 1952. Beograd.)

SO: Monthly List of East European Accessions, Vol. 3, No. 6, Library of Congress,
Feb. 1954, Uncl.

DURKOVIC, Stjepan

Role of tank trucks in the transport of petroleum products. Nafta
Jug 15 no.6:182-183 Je '64.

DURKOVIC, T.

"Occurrence of the problematic Zoophycus in menilite strata."

GEOLOGICKE PRACE; ZPRAY, (Slovenska akademia vied. Geologicky ustav
Dionyz Stura) Bratislave, Czechoslovakia, No. 15, 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 8, August 1959.

DURKOVIC, Tibor

Sedimentary-petrographic investigation of the Magura Flysch in eastern Slovakia. Geol prace 63:29-46 '62.

1. Geologicky ustav Dionyza Stura, Bratislava.

DURKOVIC, T.

KORAB, T.

CZECHOSLOVAKIA

Prom. geol.

Geological Institute D. Stur (Geologický ústav D. Stura),
Mlynska dolina 1, Bratislava

Bratislava, Geologický Sborník, No 2, 1962, pp 257-274

"Survey Study of Oriented Sedimentary Structures of
East-Slovakian Flysch"

Co-authors:

NEMCOK, J., prom. geol., Geological Institute D. Stur,
DURKOVIC, T., prom. geol., "
MARŠCHALKO, R., engr, "

DURKOVSKIY, Gejza

Particularity of the train unit composition on the Bratislava
railways. Zel dop tech 10 no.7:195-197 '62.

DURKOVSKY, Juraj (Bratislava, Bezrucova 5)

Roentgenotherapy of painful diseases of the joints and nerves.
Lek. obzor 3 no.1-2:82-88 1954.

1. Z MUNZ v Bratislave.
 (RADIOTHERAPY in various diseases,
 *arthralgia & neuralgia)
 (NEURALGIA, therapy,
 *x-ray)
 (JOINTS, diseases,
 *pain, ther., x-ray)
 (PAIN,
 *joints, ther., x-ray)

EXCERPTA MEDICA Sec.9 Vol.11/12 Surgery Dec 57

6404. ĎURKOVSKÝ J., VESELÁ E. and BALÁŽ V. Oncol. Res. Inst., Bratislava.
*Complex treatment of cancer of the lower lip ČSL. ONKOL.
1956, 3/3 (251-259) Tables 4

A study has been made by the authors of cases of cancer of the lower lip from 1946-1954. Treatment can either be by radiation or surgery. Radiation was used either by superficial, medium or deep X-rays, radium mould, radium needle implants or radon seeds. The authors state that surgery is being used much less now except for glandular metastases and recurrences after irradiation. Where the gland metastases are inoperable, radiation therapy is used. Surgery of the glands may or may not be combined with surgery of the primary lesion; upper neck dissection usually suffices. Prophylactic irradiation is not generally recommended, nor is prophylactic surgical removal of glands, but opinions vary considerably. 192 cases are analysed. Most are men, and most show squamous carcinoma. Ninety-four were treated with radium, 32 with superficial irradiation. An 89% cure rate is claimed. Twenty-one had combined surgical and irradiation treatment, with an 81% cure rate. Seventeen had surgery only with 40% cure. Deep irradiation was given to 16 patients. Total survival figures are 81%.

Dawson - Northwood (IX, 5, 16)

DURKOVSKY, Juraj; KUZMA, Ivan

Cancer metastases into the skin. Neoplasma, Bratisl. 4 no.3:315-318 1957.

1. Onkologisches Forschungsinstitut, Bratislava.
(SKIN NEOPLASMS, pathol.
metastatic, mechanism of metastases)

Country : CZECHOSLOVAKIA U
 Category= : General Problems of Pathology. Tumors. Experi-
 mental Therapy
 Abs. Jour. : Ref Zhur-Biol, 1959, No 4, 18307
 Author : Durkovsky, J.; Cepcek, P.; Kuzma, I.
 Institut. : -
 Title : The Influence of Betamercaptoethylamine on
 Irradiated BS Tumors in Rats
 Orig. Pub. : Neoplasma, 1957, 4, No 4, 345-350
 Abstract : It is known that beta-mercaptoethylamine (EM) is
 an effective agent protecting the animal orga-
 nism from the action of ionizing radiation. EM
 is used in the treatment of radiation sickness.
 In connection with this, a question was raised
 as to the possibility of a decreased effect of
 roentgen therapy of tumors after the use of EM.
 The experiments were performed on rats of the
 Wistar strain to which malignant hamartomas (BS
 tumor) were grafted subcutaneously. A few minutes
 Card: 1/4 .

1/4

Country :
Category :

Abs. Jour. :

Author :
Institut. :
Title :

Orig Pub. :

Abstract : prior to a close distance irradiation of the tumor (250 r. per min., total dose 10,000 r.), BM was administered intraperitoneally in a dose of 2.06 mg./kg., which equals $2/3$ LD₅₀ for mice. Rapid absorption of BM provided its maximum effect during irradiation. This was manifested by a 50% decrease in the number of animals with complete regression of the tumor and in earlier recurrence of relapses in the cases with partial regression. However, the authors believe that

Card: 2/4

EXCERPTA MEDICA Sec.16 Vol.5/5 Cancer May 1958

DURKOVSKÝ, J.

1992. *X-ray sieve irradiation of malignant ulcers* Použitie mriežky v rrtg terapii zhubných nádorov. *DURKOVSKÝ J.* Výskumného Ústavu Onkol., Bratislava *Bratislavské lekárs. Listy* 1957, 37(n)/3 (153-160) Graphs !

A personal method of sieve therapy is described and 42 cases of cancer in various stages, treated with this method, are analysed. In the advanced stages of cancer no significant effectiveness was observed. For the future, suitable cases should be selected and the problem of dosage dealt with to evaluate the therapeutic value of sieve irradiation.

EXCERPTA MEDICA Sec 16 Vol 7/10 Cancer October 59

4298. **Clinical application of cysteamine in radiation disease** Klinische Applikation von Cysteamin bei der Strahlungskrankheit. DURKOVSKY J. and SIRACKA-VESELA E. Onkol. Forsch. Inst., Bratislava *Neoplasma* 1958, 5/4 (417-423) Tables 4
A detailed analysis is presented of the causation of radiation disease in 42 subjects with malignant tumours treated with deep X-ray therapy. In order to combat the condition, β -mercapto-ethylamine (cysteamine) was used, with very good results. This substance had the best therapeutic effect if it was administered immediately before the irradiation.

DURKOVSKY, J.

Experiences with cobalt 60 teletherapy in treatment of malignant tumours. Neoplasma, Bratisl. 8 no.1:94-101 '61.

1. Oncological Research Institute Department of Radiology, Bratislava, Czechoslovakia.

(COBALT radioactive)

(NEOPLASMS radiother)

PL. HAVRAN, F.
BRATISLAVA, Given Names

3

Country: Czechoslovakia

Academic Degrees:

Oncological Research Institute* (Vyskumny ustav onkologickej), Bratislava; and
Affiliation: Chair of Radiology (Radiologicka katedra) of the SUDL (Slovensky ustav pre
doskolovanie lekarov; Slovak Institute for Postgraduate Medical Training]

Source: Bratislava, Lekarsky Obzor, No 3, 61, pp 129-134

Data: "Telecurie Therapy with Radioactive Cobalt"

*Director: V. THURZO, corresponding member of the SAV [Slovenska
akademia vied; Slovak Academy of Sciences].

GPO 981643

②

- 2/3

DURKOVSKY, J.; CEPCEK, P.

Treatment of recurrent gynecological carcinoma with rotation
roentgen therapy. Bratisl. lek. listy 41 no.10:599-606 '61.

1. Z radiologickeho oddelenia Vyskumneho ustavu onkologickeho v
Bratislave, prednosta MUDr. J. Durkovsky.

(UTERUS NEOPLASMS radiother)

DURKOVSKY, J.; EICHNEROVA, V.; KUZMA, I.

Changes in the white components of the blood picture in actinotherapy of malignant tumors. Neoplasma 9 no.5:507-516 '62.

1. Radiologische Abteilung des Onkologischen Forschungsinstitutes, Bratislava, CSSR.

(LEUKOCYTES) (RADIOTHERAPY)
(NEOPLASMS)

DURKOVSKY, J.

Co60 teletherapy in the treatment of carcinoma of the urinary bladder. Cesk. rentgenol. 16 no.3:182-189 Je '62.

1. Vyskumny ustav onkologicky v Bratislave, riaditel doc. dr.
W. Thurzo.

(BLADDER neopl) (COBALT radioactive)

DURKOVSKY, J.

CZECHOSLOVAKIA

no academic degree indicated

Oncological Research Institute (Vyskumny ustav onkologicky), Bratislava;
Director: corresp. member of SAV, docent V. THURZO, MD

Bratislava, Bratislavske Lekarske Listy, No. 8, Oct 62, pp 458-461.

"On the Value of Adrenalin Testing in Radiotherapy"

Co-authors:

KUZMA, I. same as above

JANCINA, J. " " "

DURKOVSKY, J.; KUZMA, I.; JANCINA, J.

On the evaluation of the adrenalin test in radiotherapy. Bratisl.
Lek. Listy 42 no.8:458-461 '62.

1. Z Vyskumneho ustavu onkologickeho v Bratislave, riaditel clen
koresp. SAV doc. MUDr. V. Thurzo.
(RADIOTHERAPY) (EPINEPHRINE) (NEOPLASMS)

DURKOVSKY, J.

An attempt at influencing local irradiation reactions with
rutin. Preliminary report. Bratisl. lek. listy 44 no.2:
104-109 '64

1. Radiologicke oddelenie Vyskumneho istavu onkologickeho v
Bratislave; veduci:prim. MUDr. J.Durkovsky.

*